

### Let us entertain you

A Klipsch BRAND









### Jamo D 500


Normally the installation of THX sound systems require a dedicated room, i.e a home movie theater. The size and the industrial design of virtually all THX-system dictate that the speakers are hidden behind curtains and walls.

Not anymore! The size of the new Jamo D500 THX loudspeakers system allows direct placement in most medium-sized living rooms. In addition to the compact dimensions these speakers are styled in a way that accommodates many contemporary decorations and furniture combinations. Finished in high-gloss lacquer these speakers add a musical-instrument-touch to the modern home.

Equipped with carefully engineered loudspeaker drive units the Jamo D500-series deliver impeccable reproduction of even the most demanding movie-sound-track, from the deepest bass to the highest highs. In addition to outstanding movie-entertainment the Jamo D500 will give the end-user a very satisfying reproduction of music, be it from stereo MP3 files or full-scale DVD-Audio or SACD.

Туре	D 500 LCR	D 500 SUR
System	3 Way Closed	3 Way Closed Dipole
Woofer [mm/in]	2 x 140 / 5½	1 x 140 / 5½
Midrange[mm/in]	2 x 76 / 3	2 x 76 / 3
Tweeter[mm/in]	1 x 25/ 1	2 x 25 / 1
Power long/short term [W]	150 / 200	120 / 170
Sensitivity [dB/2,8V/1m]	89	84
Frequency Range [Hz]	80 - 20.000	80 - 20.000
Cross-over Frequency [Hz]	400 / 2500	250 / 2500
Impedance [Ohm]	4	8
Weight [Kg / lb]	7,2 / 15.8	6,7 / 14.8
Dimension HxWxD [mm / inch]	260 x 450 x 130 / 10.2 x 17.7 x 5.1	260 x 450 x 130 / 10.2 x 17.7 x 5.1
Finishes	High Gloss Black or High Gloss White	High Gloss Black or High Gloss White





# Let us entertain you









### Jamo D 500

Normally the installation of THX sound systems require a dedicated room, i.e a home movie theater. The size and the industrial design of virtually all THX-system dictate that the speakers are hidden behind curtains and walls.

Not anymore! The size of the new Jamo D500 THX loudspeakers system allows direct placement in most medium-sized living rooms. In addition to the compact dimensions these speakers are styled in a way that accommodates many contemporary decorations and furniture combinations. Finished in high-gloss lacquer these speakers add a musical-instrument-touch to the modern home.

Equipped with carefully engineered loudspeaker drive units the Jamo D500-series deliver impeccable reproduction of even the most demanding movie-sound-track, from the deepest bass to the highest highs. In addition to outstanding movie-entertainment the Jamo D500 will give the end-user a very satisfying reproduction of music, be it from stereo MP3 files or full-scale DVD-Audio or SACD.

Туре	D 500 LCR	D 500 SUR	Specifications	SUB 650
System	3 Way Closed	3 Way Closed Dipole	System	Closed
Woofer [mm/in]	2 x 140 / 5½	1 x 140 / 5½	Woofer [mm / in]	305 / 12
Midrange[mm/in]	2 x 76 / 3	2 x 76 / 3	Impedance [K Ohm]	22
Tweeter[mm/in]	1 x 25/1	2 x 25 / 1	Frequency Range [Hz]	24 - 200
Power long/short term [W]	150 / 200	120 / 170	Cut off Frequency [Hz]	40 - 200
Sensitivity [dB/2,8V/1m]	89	84	Phase [deg.]	0 to -180
Frequency Range [Hz]	80 - 20.000	80 - 20.000	Switch	Auto / Off
Cross-over Frequency [Hz]	400 / 2500	250 / 2500	Line in	Left / Right
Impedance [Ohm]	4	8	Amplifier Rated output [w]	650
Weight [Kg / lb]	7,2 / 15.8	6,7 / 14.8	Stand-by power [W]	< 1,0
Dimension HxWxD			Weight [kg / Lb]	20.5 / 45.2
[mm]	260 x 450 x 130	260 x 450 x 130	Dimensions HxWxD	
[inch]	10.2 x 17.7 x 5.1	10.2 x 17.7 x 5.1	[mm]	419 x 400 x 418
Finishes	High Gloss Black	High Gloss Black	[inch]	16.5x 15.7x16.5
	or High Gloss White	or High Gloss White	Finishes	Black Ash





# Let us entertain you









#### Jamo D 500

Normally the installation of THX sound systems require a dedicated room, i.e a home movie theater. The size and the industrial design of virtually all THX-system dictate that the speakers are hidden behind curtains and walls.

Not anymore! The size of the new Jamo D500 THX loudspeakers system allows direct placement in most medium-sized living rooms. In addition to the compact dimensions these speakers are styled in a way that accommodates many contemporary decorations and furniture combinations. Finished in high-gloss lacquer these speakers add a musical-instrument-touch to the modern home.

Equipped with carefully engineered loudspeaker drive units the Jamo D500-series deliver impeccable reproduction of even the most demanding movie-sound-track, from the deepest bass to the highest highs. In addition to outstanding movie-entertainment the Jamo D500 will give the end-user a very satisfying reproduction of music, be it from stereo MP3 files or full-scale DVD-Audio or SACD.

IR.
200
Klinsch R R A N R
A Klipsch BRAND

Туре	D 600 SUB
System	Active DSP based subwoofer,
	closed enclosure, motional feedback
User interface	Touch panel with backlight
Woofer [mm/in]	380 / 15
Rated power	$600Wrms@4\Omega@THD+N < 1\%$
Dynamic power	800Wrms@4Ω
Peak nower	1600Wpk@40

 Peak power
 1600Wpke

 Maximum SPL
 109 dB

 Frequency Range [Hz]
 20 – 200

 Cut off Frequency [Hz]
 40-200

 Phase [deg.]
 0 to -180

 Boundary gain

compensation Variable
Line input Yes
LFE input Yes
Speaker level input Yes
Sensitivity 100mVri

Sensitivity 100mVrms (line in only)
Sound modes Default, Personal, THX
12V trigger Yes, pass through for daisy chain.
Switch Off / Auto / On

 Switch
 Off / Auto / On

 Dimension [mm]
 557 x 587 x 501

 Dimension [in]
 21.9 x 23.1 x 19.7

 Weight [Kg / Ib]
 32 / 70.5

Туре	D 500 LCR	D 500 SUR
System	3 Way Closed	3 Way Closed Dipole
Woofer [mm/in]	2 x 140 / 5½	1 x 140 / 5½
Midrange[mm/in]	2 x 76 / 3	2 x 76 / 3
Tweeter[mm/in]	1 x 25/1	2 x 25 / 1
Power long/short term [W]	150 / 200	120 / 170
Sensitivity [dB/2,8V/1m]	89	84
Frequency Range [Hz]	80 - 20.000	80 - 20.000
Cross-over Frequency [Hz]	400 / 2500	250 / 2500
Impedance [Ohm]	4	8
Weight [Kg / lb]	7,2 / 15.8	6,7 / 14.8
Dimension HxWxD:		
[mm]	260 x 450 x 130	260 x 450 x 130
[inch]	10.2 x 17.7 x 5.1	10.2 x 17.7 x 5.1
Finishes	High Gloss Black	High Gloss Black
	or High Gloss White	or High Gloss White

THX and the THX logo are trademarks of THX Ltd. which may be registered in some jurisdictions. All rights reserved.

