

DIGITAL
CINEMA

AVAILABLE AT
DIGITAL CINEMA

Sunfire[®] ✨

THE DEFINITION OF HIGH PERFORMANCE.



XTEQ SUBWOOFERS SERIES

The Ultimate Expression of Subwoofer Technology


The Sunfire XTEQ Series is the ultimate expression of subwoofer technology, delivering accurate, powerful bass that dramatically spikes a home's audio entertainment with up to 3,000 watts of pure heart-thumping bass. Sunfire technologies like the Tracking Downconverter™ amplifier, High Back-EMF woofer and digital Auto-EQ circuit for room calibration, deliver unmatched performance. And the rich piano-black finish of the XTEQ cabinets elevates the aesthetic to an exceptional level.

The beauty of XTEQ isn't just in the sound. It's the chic, compact design that blends into any room as it delivers a tight and musical bottom end. Room-specific calibration accurately integrates an XTEQ subwoofer into any living space and existing audio system. You'll get bone-rattling bass from some of the smallest subwoofer cabinets in the industry.

Defining the standard of quality today, the XTEQ series also brings a suite of premium audiophile features to the table, like advanced auto turn-on circuitry, Anti-Walking Tread Design Feet™, gold plated connectors, soft clipping circuitry, and variable crossover level, and variable phase control, making the XTEQ the foundation for any great home theater and audio system.



Maximum Power



Back panel of XTEQ-8, XTEQ-10 and XTEQ-12



XTEQ12

This is What Subwoofer Enthusiasts Dream About.



With 3,000 watts of Tracking Downconverter™ amplification, it's no surprise that the XTEQ12 delivers a massive sound through the diametrically opposing active/passive 12" woofers. After all, this is our ultimate subwoofer experience.

The XTEQ12 features include multiple turn-on options (auto audio sensing and 12 volt trigger activation), plus soft-clipping amplification, anti-walking treads, variable crossover and phase control. XTEQ subwoofers include RCA line in/line out and slave connections making it easy to pair two subwoofers, with XLR connectors for pro applications. Integrators can perfect and dial in the sound for any room through continuously variable frequency and phase adjustments for both the low pass and high pass crossovers.



XTEQ-12 Dual 12" Powered Subwoofer with Auto EQ

Design Features

- Diametrically opposing, Active/ Passive 12" woofers, High Back-emf design
- 3000 Watt TDC™ amplifier
- Output: 116 dB SPL (inc. room gain)
- Frequency response: 16Hz - 100Hz
- Auto room correction w/ included microphone
- Multi-voltage 120v ~ 240v selectable, IEC power cords included
- High gloss black lacquer finish

Rear Panel

- Line-level unbalanced inputs
- Balanced XLR input
- Line-level outputs with high-pass or full-range switch
- 12 VDC input for remote turn-on
- Continuous variable phase control
- Continuous variable crossover frequency
- Continuous variable volume level control
- Gold-plated inputs and outputs

ORDER NUMBER XTEQ12

Dimensions

- 13.5" cubed (343 mm)

Ship Dimensions

- 18.25 x 18.25 x 21.75 (WHD")
(464 x 464 x 552 mm)

Weight

- 58.9 lbs (26.7 kg)

Ship Weight

- 70.55 lbs (32 kg)

Color

- High gloss black lacquer finish



XTEQ10

Exceptional Home Theater Performance.



The 2,700 watt Tracking Downconverter™ amplifier gives the XTEQ10 more than enough power to shake the room, and with this power the diametrically opposing active/passive 10" woofers deliver an incredibly tight and musical bottom end. Like the 12" XTEQ, the XTEQ10 delivers a set of audiophile features, the latest improvements of the Sunfire High Back-emf design, and to best accommodate the longer 'throw' woofers, Sunfire's unique Asymmetrical Cardioid Surround.

Meanwhile, the high gloss piano black finish makes a fashionable statement in any location in the room. After all, this is Sunfire.



XTEQ-10 Dual 10" Powered Subwoofer with Auto EQ

Design Features

- Diametrically opposing, Active/ Passive 10" woofers, High Back-emf design
- 2,700 Watt TDC™ amplifier
- Output: 110 dB SPL (inc. room gain)
- Frequency response: 18Hz - 100Hz
- Auto room correction w/ included microphone
- Multi-voltage 120v ~ 240v selectable IEC power cords included
- High gloss black lacquer finish

Rear Panel

- Line-level unbalanced inputs
- Balanced XLR input.
- Line-level outputs with high-pass or full-range switch
- 12 VDC input for remote turn-on
- Continuous variable phase control
- Continuous variable crossover frequency
- Continuous variable volume level control
- Gold-plated inputs and outputs

ORDER NUMBER XTEQ10

Dimensions

- 11.5" cubed (292 mm)

Ship Dimensions

- 16.5 x 16.5 x 21.25 (WHD")
(419 x 419 x 540 mm)

Weight

- 54.5 Lbs (24.7 kg)

Ship Weight

- 66.25 Lbs (30 kg)

Color

- High gloss black lacquer finish



XTEQ
8

Deceivingly Powerful.



Do not let the diminutive size fool you, this little sub is ready to roar. Its 8" active/passive woofers turn 1,800 watts into pure sonic pleasure. Like its larger siblings, the XTEQ8 delivers a stimulating cinematic experience. It's room-specific calibration makes it easy to integrate into any room or system. Other features include multiple turn-on options (auto audio sensing and 12 volt trigger activation), plus soft-clipping amplification, anti-walking treads, variable crossover and phase control.



XTEQ-8 Dual 8" Powered Subwoofer with Auto EQ

Design Features

- Diametrically opposing, Active/ Passive 8" woofers, High Back-emf design.
- 1,800 Watt TDCT™ amplifier
- Output: 108 dB SPL (inc. room gain)
- Frequency response: 25Hz - 100Hz
- 1 Multi-voltage 120v ~ 240v selectable, IEC power cords included
- High gloss black lacquer finish

Rear Panel

- Line-level unbalanced inputs
- Balanced XLR input
- Line-level outputs with high-pass or full-range switch
- 12 VDC input for remote turn-on
- Continuous variable phase control
- Continuous variable crossover frequency
- Continuous variable volume level control
- Gold-plated inputs and outputs

ORDER NUMBER

XTEQ8

Dimensions

- 9" cubed (228 mm)

Ship Dimensions

- 15.5 x 15.5 x 20.5 (WHD")
(394 x 394 x 520 mm)

Weight

- 42.6 lbs (19.3 kg)

Ship Weight

- 53 lbs (24 kg)

Color

- High gloss black lacquer finish



WIRELESS

No New Wires with Our Subwoofer Wireless Kit.



Meet Sunfire's purpose-built, 2.4GHz wireless kit designed for subwoofers. Simply connect the wireless transmitter module to your A/V processor or receiver and then the wireless receiver to your subwoofer. All you need is a power outlet near the sub and you're ready for plug-and-play bass with the freedom to move the subwoofer to just about any location in the room. If you want to run two subwoofers, just add a second wireless Sunfire receiver.

SDSWITX / SDSWIRX

Wireless Transmitter / Receiver

Design Features

- Purpose-built for subwoofer applications
- Digital transmission
- Maximum of two subs per transmitter
- Wireless range 8.7m (29 feet) max (one transmitter/one receiver)
5.1m (17 feet) max (one transmitter/two receivers)





Sunfire: the foremost name in small, incredibly powerful subwoofers and home theater audio. Sunfire combines unconventional thinking with precision engineering to create innovative subwoofers that deliver exceptional performance.

Sunfire®

© 2018 Nortek Security & Control. All rights reserved.
Sunfire® is a registered trademark of Nortek Security & Control or its subsidiaries.

Rev A, June 2018